

AD-A096 831

ARMY ENGINEER WATERWAYS EXPERIMENT STATION VICKSBURG MS  
WORKSHOP ON RIVERINE WATER QUALITY MODELING.(U)

F/6 13/2

FEB 81 L S JOHNSON, D E FORD, D L ROBEY

UNCLASSIFIED

WES-MP-E-81-1

NL

1 OF 1  
25 JAN 81

END


DATE

FILED

4-8-81

DTIC

AD A 086481



Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Miscellaneous Paper E-81-1	2. GOVT ACCESSION NO. AD-A096 832	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) WORKSHOP ON RIVERINE WATER QUALITY MODELING.	5. TYPE OF REPORT & PERIOD COVERED Final report.	6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Linda S. Johnson Dennis E. Ford Donald L. Robey	8. CONTRACT OR GRANT NUMBER(s) 12 336	9. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS EWQOS Task IB.3
10. PERFORMING ORGANIZATION NAME AND ADDRESS U. S. Army Engineer Waterways Experiment Station Environmental Laboratory P. O. Box 631, Vicksburg, Miss. 39180	11. CONTROLLING OFFICE NAME AND ADDRESS Office, Chief of Engineers, U. S. Army Washington, D. C. 20314	12. REPORT DATE Feb 1981
13. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) 14 WES-MP-E-81-2	14. NUMBER OF PAGES 29	15. SECURITY CLASS. (of this report) Unclassified
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) MAR 25 1981		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Environmental effects      State-of-the-art studies Mathematical models      Water quality Rivers      Water quality models		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A Riverine Water Quality Modeling Workshop was held at the U. S. Army Engineer Waterways Experiment Station (WES) on 9-10 April 1980 to address three objectives: (1) define environmental/water quality problems in large rivers encountered by Corps of Engineers (CE) Offices; (2) determine if state-of-the-art riverine models are able to address these problems; and (3) identify areas of inadequacy in the state-of-the-art models for future study and development. (Continued)		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

038200

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

20. ABSTRACT (Continued).

in the Environmental and Water Quality Operational Studies (EWQOS) Program. To address these objectives, representatives from CE District and Division Offices, other Federal agencies, and the consulting community were invited to participate in the Workshop.

At the Workshop, problems were identified in two main areas: water quality problems and problems associated with water quality models. Major water quality problems dealt with reservoir releases and sedimentation. The modeling-related problems included the entire spectrum from new model development to model application problems (i.e. coefficient selection).

Workshop recommendations included collecting data sets for a one-dimensional unsteady flow water quality model and for a two-dimensional vertically averaged model. The development and verification of a mathematical algorithm for the transport of fine suspended sediment were also recommended.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

# PREFACE

This report summarizes the results of the Riverine Water Quality Modeling Workshop held 9-10 April 1980 at the U. S. Army Engineer Waterways Experiment Station (WES), Vicksburg, Miss. The Workshop was sponsored by the Environmental and Water Quality Operational Studies (EWQOS) Program, Task IB.3, entitled "Develop and Evaluate Improved Descriptions for Important Ecological Processes Unique to Rivers." The EWQOS Program is sponsored by the Office, Chief of Engineers, and managed by WES.

The Workshop was organized and conducted and the report prepared by Ms. L. S. Johnson under the direct supervision of Dr. D. E. Ford; and under the general supervision of Mr. D. L. Robey, Chief, Water Quality Modeling Group, Dr. R. L. Eley, Chief, Ecosystem Research and Simulation Division, and Dr. J. Harrison, Chief, Environmental Laboratory. Dr. J. L. Mahloch was the EWQOS Program Manager.

The Commander and Director of the WES during this period was COL Nelson P. Conover, CE. Technical Director was Mr. F. R. Brown.

Accession For	
NTIS SPAIN	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
and/or	
Dist	Special
<b>A</b>	

## CONTENTS

	<u>Page</u>
PREFACE . . . . .	1
ATTENDEES . . . . .	3
AGENDA . . . . .	5
PART I: INTRODUCTION . . . . .	6
PART II: WORKSHOP ORGANIZATION . . . . .	8
Overview . . . . .	8
Attendees . . . . .	8
Problem Identification and Ranking . . . . .	9
State-of-the-Art Determination . . . . .	10
PART III: RIVERINE WATER QUALITY PROBLEMS . . . . .	11
Problems Identified . . . . .	11
High-Priority Problems . . . . .	12
Dredging Related Problems . . . . .	13
PART IV: STATE OF THE ART . . . . .	14
Hydropower Operations . . . . .	14
Sediment Transport . . . . .	15
Data Requirements . . . . .	15
Other Topics . . . . .	16
Conclusions . . . . .	16
PART V: DISCUSSION . . . . .	17
Water Quality Problems . . . . .	17
Water Quality Modeling Problems . . . . .	18
Future Needs . . . . .	19
PART VI: RECOMMENDATIONS . . . . .	21
REFERENCES . . . . .	22
TABLES 1 and 2	
APPENDIX A: WORKSHOP FORMS . . . . .	A1
APPENDIX B: PROBLEMS IDENTIFIED . . . . .	B1
Reservoir Release Problems . . . . .	B1
Dredging Related Problems . . . . .	B1
General Water Quality Problems . . . . .	B1
Model Processes and Quantification . . . . .	B2
Instrumentation . . . . .	B2
Models . . . . .	B3
Factors to be Considered in Model Application . . . . .	B3
Technology Transfer . . . . .	B3

ATTENDEES  
 RIVERINE WATER QUALITY MODELING WORKSHOP  
 U. S. Army Engineer Waterways Experiment Station  
 Vicksburg, Mississippi  
 9-10 April 1980

<u>Name</u>	<u>Address</u>	<u>Phone</u>
<u>Corps of Engineers</u>		
Mr. Dave Buelow	USAE Division, New England 424 Trapelo Road Waltham, MA 02154	617/894-2400 FTS 839-7631
Mr. Charles Galloway	USAE Division, North Pacific P. O. Box 2870 Portland, OR 97208	503/221-3779 FTS 423-3779
Mr. Pete Juhle	USAE District, Baltimore P. O. Box 1715 Baltimore, MD 21203	301/962-4893 FTS 922-4893
Mr. Walt Linder	USAE District, Kansas City 700 Federal Building Kansas City, MO 64106	816/688-3071 FTS 758-3896
Mr. Robert Pearce	USAE District, Kansas City 700 Federal Building Kansas City, MO 64106	816/374-3896 FTS 758-3896
Mr. Pete Stafford	USAE District, Vicksburg P. O. Box 60 Vicksburg, MS 39180	601/634-5700 FTS 542-5700
Mr. George Strain	USAE Division, South Atlantic 510 Title Building Atlanta, GA 30303	404/221-4580 FTS 242-4580
Mr. Burnell Thibodeaux	USAE District, New Orleans P. O. Box 60267 New Orleans, LA 70160	504/838-2445 FTS 687-2445
<u>Other Federal Agencies</u>		
Mr. Thomas O. Barnwell	U. S. Environmental Protection Agency Environmental Research Lab College Station Road Athens, GA 30613	404/546-3175 FTS 250-3175
Mr. Marshall E. Jennings	U. S. Geological Survey NSTL Station, MS 39529	601/688-3071 FTS 494-3071



<u>Name</u>	<u>Address</u>	<u>Phone</u>
<u>Other Federal Agencies (Continued)</u>		
Dr. Harvey E. Jobson	U. S. Geological Survey NSTL Station, MS 39529	601/688-3350 FTS 494-3350
Dr. Steve McCutcheon	U. S. Geological Survey NSTL Station, MS 39529	601/688-3071 FTS 494-3071
Mr. James Thomas	Water and Power Resources Service P. O. Box 25007 Denver, CO 80225	303/234-5216 FTS 234-5216
Dr. William R. Waldrop	Tennessee Valley Authority Water Systems Development Branch P. O. Drawer E Norris, TN 37828	615/494-7137 FTS 856-4460
<u>Consultants</u>		
Dr. Ranjan Ariathurai	Resource Management Associates 3738 Mt. Diablo Blvd. Lafayette, CA 94549	415/284-9071
Dr. Dominic M. DiToro	Affiliated Water Quality Consultants 28 Hillside Avenue Englewood, NJ 07631	201/567-6190
Dr. James H. Duke	Consulting Water Engineer 5303 Pony Chase Austin, TX 78759	512/258-5749
Dr. Thomas N. Keefer	The Sutron Corporation 11150 Main Street Fairfax, VA 22030	703/591-8910
Dr. Raul S. McQuivey	The Sutron Corporation 11150 Main Street Fairfax, VA 22030	703/591-8910
Dr. Frank B. Tatom	Engineering Analysis, Inc. 2109 Clinton Avenue W. Suite 432 Huntsville, AL 35805	205/533-9391

AGENDA  
RIVERINE WATER QUALITY MODELING WORKSHOP  
U. S. Army Engineer Waterways Experiment Station  
Vicksburg, Mississippi  
9-10 April 1980

9 April 1980

0830 Introduction/Welcome - Dr. Dennis Ford, Dr. Jerry Mahloch  
0900 Workshop Objectives - Dr. Dennis Ford  
0930 Model Summary - Dr. Billy Johnson  
1015 Break  
1030 Workshop Organization - Dr. Dennis Ford  
1100 Problem Identification/Ranking - Subgroup Chairpersons  
    1. CE - Mr. George Strain  
    2. Other Federal Agencies - Mr. Marshall Jennings  
    3. Consultants - Dr. Dominic DiToro  
1215 Lunch - WES Cafeteria  
1315 Regroup - Problem Presentations by Subgroup Chairpersons  
1415 Combined Problem List Ranking - Dr. Dennis Ford  
1500 Break  
1515 Mission Problem Statements - CE - Mr. Don Robey  
    General Modeling Discussion - Other Federal Agencies and Consultants - Dr. Dennis Ford  
1630 Adjourn

10 April 1980

0830 State of the Art - Dr. Dennis Ford  
    Panel discussion by consultants of the top-ranked problems with short question and answer periods during the discussion.  
1015 Break  
1030 Group Problem Discussion - Dr. Dennis Ford  
1215 Lunch - WES Cafeteria  
1315 Workshop Summary - Dr. Dennis Ford  
1400 Adjourn

## WORKSHOP ON RIVERINE WATER QUALITY MODELING

### PART I: INTRODUCTION

1. The objective of the Environmental and Water Quality Operational Studies (EWQOS) Program is to provide new and improved technology to solve environmental quality problems associated with Civil Works activities of the Corps of Engineers (CE) in a manner compatible with authorized project purposes. Mathematical water quality models are one form of technology currently being used to address environmental problems in existing and proposed CE projects. Numerous water quality models currently exist, but no model is capable of addressing all problems. Also, the state of the art of water quality modeling is rapidly changing.

2. A Riverine Water Quality Modeling Workshop was held at the U. S. Army Engineer Waterways Experiment Station (WES), Vicksburg, Miss., on 9-10 April 1980, to address riverine water quality modeling as related to CE environmental problems. The objectives of the workshop were:

- a. Define the environmental/water quality problems in large rivers encountered by CE Offices.
- b. Determine if state-of-the-art riverine models are able to address these problems.
- c. Identify areas of inadequacy in the state-of-the-art models for future study and development in EWQOS.

3. These objectives were addressed by personnel from various CE District and Division Offices, nationally recognized consultants, and representatives from other Federal agencies.

4. To meet the first objective, personnel from various CE District and Division Offices were invited to participate in the Workshop. Definition of the problems took place during the first day of the Workshop in identification and ranking sessions. Consultants attended the Workshop to address the second and third objectives. They participated in a panel discussion on the second day, during which the applicability of state-of-the-art riverine models to the identified priority problems was discussed.

5. The purpose of this report is to summarize the Workshop and present recommendations for future work in EWQOS in the area of riverine water quality modeling.

## PART II: WORKSHOP ORGANIZATION

### Overview

6. The Workshop was organized to obtain a large amount of information in a short period of time. The Agenda was rigorously followed to ensure all workshop objectives were addressed. Presentations were limited to welcoming comments by Dr. Jerry Mahloch, Program Manager, EWQOS, and a modeling overview by Dr. Billy Johnson, Hydraulics Laboratory, WES.

7. The purpose of the modeling overview was to ensure that all workshop participants were acquainted with models currently being used by the CE. Models summarized included a one-dimensional water quality model; a one-dimensional unsteady flow model; two-dimensional laterally averaged models; and two-dimensional vertically averaged models. Limitations of finite difference and finite element solution schemes and use of boundary fitted coordinates were also discussed. It was concluded that hydrodynamic modeling is more advanced than water quality modeling.

### Attendees

8. To obtain a wide variety of input, workshop participants were selected from CE District and Division Offices, other Federal agencies, and the consulting community.

9. For selection of CE representatives, questionnaires were given to the EWQOS Field Review Group (FRG) members at the 5 December 1979 meeting at the WES. From the responses received, a tentative list of CE representatives was compiled and letters of invitation were sent out. Names of additional participants were also obtained from the EWQOS Technical Monitors, Office, Chief of Engineers.

10. Personnel from other Federal agencies were invited to the Workshop to provide input regarding their perception of CE riverine water quality problems. Representatives from these agencies were selected in coordination with the Interagency Water Quality and Ecological Modeling

Work Group of the Interagency Water Quality and Ecological Committee for Research Coordination. Agency participants included:

Dr. William R. Waldrop - Tennessee Valley Authority (TVA)  
Mr. James Thomas - Water and Power Resources Service (WPRS)  
Mr. Thomas O. Barnwell - U. S. Environmental Protection Agency (EPA)  
Mr. Marshall E. Jennings - U. S. Geological Survey (USGS)  
Dr. Harvey E. Jobson - USGS  
Dr. Steve McCutcheon - USGS

11. The consulting community was represented by:

Dr. Ranjan Ariathurai (Sediment Transport)  
Dr. Dominic M. DiToro (Water Quality Modeling)  
Dr. James H. Duke, Jr. (Water Quality Modeling)  
Dr. Thomas N. Keefer (Dispersion and Mixing)  
Dr. Raul C. McQuivey (Sediment Transport)  
Dr. Frank B. Tatom (Hydrodynamic Modeling)

These consultants had all performed work for the CE and other Federal agencies and were familiar with CE riverine problems. Each also had expertise in various aspects of water quality modeling and was familiar with the state-of-the-art modeling of river systems.

#### Problem Identification and Ranking

12. Participants were divided into three subgroups, CE, other Federal agencies, and consultants, to identify and rank water quality problems. Each subgroup selected a chairperson: CE, Mr. George Strain; other Federal agencies, Mr. Marshall Jennings; and consultants, Dr. Dominic DiToro. The participants identified water quality problems associated with riverine systems and the problems associated with the modeling of those systems. Problems were individually presented to the subgroup and recorded by the chairperson in a "round robin" fashion to allow everyone an equal opportunity in problem identification. Little or no discussion was allowed during the problem identification phase.

13. After all the problems were presented, they were assigned numbers to identify the problem and subgroup from which it originated. Each member of the subgroup then recorded his name, subgroup, and the six problems he believed to be most important on Problem Ranking Sheet No. 1

(Appendix A). The comments section on the ranking sheet was for any specific comments associated with the problem. These subgroup rankings were used as a supplement to the Combined Problem Rankings (explained below) in determining high-priority problems.

14. Each participant was then provided with a combined list of the problems identified in the three subgroups. The chairpersons presented their subgroup's problem list including a short explanation of each problem. From the combined list of problems, the participants made two separate rankings using Combined Ranking Sheets (Appendix A). First, they ranked what they considered to be the six highest priority water quality problems. Then, they ranked the top six problems associated with mathematical water quality models.

15. As the group finished their rankings, the participants from the other Federal agencies and the consultants assembled in another room for a general discussion of modeling and the need for good data bases. The CE participants were involved in preparing Mission Problem Statements for input to the OCE Research Needs System. During this time, a list of high-priority problems was generated from the combined rankings.

#### State-of-the-Art Determination

16. The Thursday morning session was devoted to a panel discussion by the consultants on how the high-priority problems could be addressed by state-of-the-art models. Each consultant was given the opportunity to address the major problems. The discussion included three general areas: (1) impact of unsteady flow conditions associated with hydro-power operations on water quality and the stream environment, (2) water quality problems associated with sediment, and (3) data requirements for modeling. This discussion provided valuable information for the CE personnel on availability of techniques for use in solving CE problems. The discussion also identified areas for future development in riverine modeling.

### PART III: RIVERINE WATER QUALITY PROBLEMS

#### Problems Identified

17. One of the objectives of the Workshop was to identify environmental and water quality problems associated with large rivers. The problem identification session yielded 80 problems from the three subgroups. From these problems, duplicates were eliminated and similar problems combined to leave a final list of 64 problems. The problems were divided into three main areas: water quality, modeling, and technology transfer (Appendix B).

#### Water quality

18. Problems associated with water quality were subdivided into three groups: reservoir release, dredging related, and general water quality problems.\* The reservoir release problems include the operation of hydropower projects and associated unsteady releases, and the environmental requirements of fish and other aquatic biota downstream of reservoirs (i.e., flow, dissolved oxygen, temperature). The second group of problems was related to dredging operations. Main emphasis was on the environmental impact of dredging and the disposal of the dredged material. The remaining water quality problems made up the last group, general water quality problems.

#### Modeling

19. The second major problem area concerns water quality models. This area was broken down into four groups: model processes and quantification, instrumentation, models, and factors considered in model application. Model processes and quantification defines the riverine processes that existing riverine models are not capable of accurately modeling. The second group includes problems related to collection and analysis of data. The third group is composed of models and model requirements that need to be developed. (Needed models include unsteady flow models, two-dimensional models, and the coupling of hydrodynamic and

---

\* See Appendix B for individual listing of problems identified.



water quality models.) The last group are the factors that need to be considered when applying mathematical models, including verification, calibration, levels of analysis, computational efficiency, and model maintenance.

#### Technology transfer

20. Technology transfer is perhaps the most important of the three areas. The benefit of developing new techniques and models is only realized if they can be made available in a usable form to the CE District and Division Offices. This area includes guidelines for application and user manuals.

#### High-Priority Problems

21. The original 80 problems identified were ranked twice by Workshop participants. First, they were ranked to determine the highest priority water quality problems. They were then ranked as problems with water quality models. Tables 1 and 2 list the high-priority water quality and modeling problems and the responding subgroup. These problems are not listed by priority.

22. The high-priority water quality problems (Table 1) are related to two general areas, sediment transport and reservoir releases. The sediment transport related problems included not only the mechanics of sediment transport but also the relationships between fine suspended sediments and water quality parameters such as nutrients and contaminants. All three subgroups identified sediment transport related problems as being important. This was not the case for reservoir release problems. The representatives from other Federal agencies did not rate the reservoir release problems as high as the CE representatives and consultants. Problems associated with reservoir releases included water quality problems as well as impacts on fisheries and trade-offs between conflicting objectives.

23. The modeling related problems (Table 2) covered the entire spectrum from new model development to model application problems such as coefficient selection and inadequate model documentation. Model

improvements were tied to a more thorough understanding of the processes responsible for many of the problems identified in Table 1 (e.g. suspended sediment-toxic interactions).

#### Dredging Related Problems

24. Several dredging related problems were identified at the Workshop (see Appendix B). Many of these problems either have been addressed by the WES Dredged Material Research Program (DMRP) or are currently being addressed by the WES Dredging Operations Technical Support (DOTS) Program. Information on the disposal of contaminated dredged material is available from DMRP Synthesis Reports DS-78-1 through DS-78-8, DS-78-10, and DS-78-14. Assistance on specific dredging problems is available from DOTS, which is being administered by the WES Environmental Laboratory.

#### PART IV: STATE OF THE ART

25. The second day of the Workshop was devoted to a panel discussion by the consultants. The discussion topic was how well state-of-the-art models can address the identified priority problems. Each consultant was given the opportunity to address the major problems. Short question and answer periods occurred during the discussion. Three general topics dominated the discussion: (1) how the unsteady flow conditions associated with hydropower operations impact water quality and the stream environment, (2) what water quality problems are associated with sediment transport, and (3) what data requirements are for modeling.

##### Hydropower Operations

6. Hydropower operations was felt to be the most important water quality problem currently facing the CR. From a one-dimensional modeling standpoint, this problem is reasonably well understood. Considerable technology exists in the one-dimensional hydrodynamic area, and adequate dissolved constituent models exist. The hydrodynamics of unsteady flow can be modeled in one, two, and three dimensions, but water quality models are just now being developed in two dimensions. Most two-dimensional state-of-the-art models can accommodate the hydraulics of unsteady flow and one conservative species (i.e. total dissolved solids, salinity). It would be possible to add other water quality parameters to these models, but the additional data requirements are prohibitive at this time. The state of three-dimensional analysis is similar to two dimensions. The models can handle the unsteady hydraulics in three dimensions and one conservative species. However, three-dimensional analysis, because of its complexity, is only for use in small areas and/or short time periods. The largest limitation in development of two- and three-dimensional hydrodynamic models is the lack of adequate data; data are also lacking for the development of one-, two-, and three-dimensional water quality models.

### Sediment Transport

27. Data are also a major concern in the sediment area. Techniques appear to be available to develop a one-dimensional model of the processes associated with sediment water quality problems, but more data are needed for that development. There seems to be a good understanding of the mechanisms associated with sand and silt, but more information is needed in the area of transport of the fine fraction (less than 0.063 mm) sediment and its impact on water quality. It was felt that modeling of sediment and water quality should be dynamically coupled to allow for their interaction. There has been work on coupling of sediment and water quality models in one dimension, but there are questions concerning whether or not the hydrodynamics are being reproduced properly. The importance of being able to model sediment accurately is exemplified by the relationship between sediment and the transport of toxic chemicals in rivers. This relationship is also one that needs to be explored, but, again, one major problem is the lack of data documenting the interaction between toxicants and suspended sediment.

### Data Requirements

28. The general consensus from the discussion was that data requirements are a very important consideration when looking at models and their application to riverine water quality problems. Only in the one-dimensional hydrodynamic area does there appear to be sufficient data for verification; this is because it is assumed that there is a unique relationship between flow and stage. Water quality and sediment models lack data in all dimensions, and hydrodynamic models lack data for multidimensional analyses.

29. The type of data that should be collected was also discussed. There is a gap between the data collected routinely for historic record and the data needed for modeling. It was agreed that routine monitoring is important, but intensive surveys also need to be included to satisfy modeling data needs. When determining data requirements for an intensive

survey, a specific model should be in mind to ensure that the data collected are consistent with model requirements, especially with respect to the sensitive model parameters and water quality variables. It was also emphasized that models can and should be used in designing data collection networks. Some models are capable of determining the location of sensitive areas in a system. Another data-related concern was the lack of biological data sets (i.e., fish and benthos). These data sets are essential to the development of water quality models and the prediction of impacts on stream habitats.

#### Other Topics

30. Other items mentioned during the discussion included the need to determine if a relationship exists between turbidity and suspended solids and the need to identify another tracer material suitable for use in sediment studies since radionuclides require Environmental Protection Agency approval and are very difficult to use. Also, repeatedly emphasized was the need to completely identify the problem to be solved so that assumptions can be made and appropriate models can be chosen to address the problem.

#### Conclusions

31. The overall conclusion to be made from this discussion was that water quality problems resulting from unsteady flows from hydro-power projects and sediment modeling are two areas that need to be addressed in the near future. The data question is a problem inherent in all modeling studies that also must be addressed in the near future.

## PART V: DISCUSSION

32. The objective of the Workshop was to address riverine water quality modeling as related to CE environmental problems. In the following paragraphs, the problems identified at the Workshop are discussed in general terms with respect to the published results of other surveys.

### Water Quality Problems

33. Before a model can be used to solve an environmental problem, the problem must first be identified and defined. The problems identified at the Workshop were not new or unique. Many of the problems were identified by other CE representatives at the EWQOS-sponsored Shallow Draft Navigation Environmental Workshop held 24-26 September 1979 at Slade, Ky. (Planning & Management Consultants, Ltd. 1980). The problems tend to be related either to water quality standards and criteria or to project purposes (e.g. navigation, recreation, etc.). The identified problems can be divided into two categories, reservoir releases and sedimentation.

#### Reservoir releases

34. The impoundment of rivers modifies the water quality, both within the pool and downstream of the pools from that found in the free-flowing river. Downstream water quality problems typically include minimum low flows, scour, dissolved oxygen and associated problems, and fisheries concerns. The problems have also been identified by the American Society of Civil Engineers (1978, 1980a) and Steele et al. (1980). Increased emphasis on modifying existing projects for hydropower (Seltz-Petrash 1980) will compound these problems and require more sophisticated tools for evaluating their effects on water quality.

#### Sedimentation

35. Sedimentation refers to any type of sediment movement. Shen (1979) identified six categories of sedimentation problems:

- a. Sediment supply from watershed.
- b. Variation of alluvial bed forms.

- c. Sediment transport in streams.
- d. Channel morphology.
- e. Movement of sediment in coastal environments.
- f. Relationship of sediment to other pollutants.

The American Geophysical Union (1977) and Steele et al. (1980) identified similar categories. All of these problems are of interest to the CE, but, in the Workshop, the emphasis was placed on the relationship between sediment and pollutants because nutrients, trace organics, and contaminants sorb to solids. Suspended solids, therefore, act as the major transport mechanism as well as the major mechanism for removing the constituents from solution (deposition).

#### Water Quality Modeling Problems

36. Natural rivers are seldom spatially homogeneous and temporally steady. A major limitation of riverine water quality modeling is the extensive use of one-dimensional steady-state models (e.g. QUAL II). Unsteady and multidimensional models are necessary to evaluate complex problems.

37. Most sediment transport models are one dimensional and were developed to study degradation and aggregation in streams (Shen 1979). The understanding of the details of the processes involved in scour and deposition is, however, poor (American Society of Civil Engineers 1980b). Little work has been done in the area of cohesive sediments, an area crucial to understanding pollutant relationships.

38. There are several problems associated with model applications: inadequate documentation, model adaptability, ease of application, and cost (Steele et al. 1980). Because of a model's limitations, the modeler is required to use professional judgment when interpreting results. It is also the responsibility of the modeler to convey the limitations and inherent assumptions to the decisionmaker so that he fully understands the reliability of the results and their utility (Thomann and Barnwell 1979).

### Future Needs

39. Future needs, as identified by Steele and Stefan (1979), include development of controls for nonpoint sources of sediment and contaminants, and research in the field of transport, biomagnification, and biodegradation of toxicants. The increasing development of hydropower plants also creates areas for future development (Seltz-Petrash 1980) such as the water quality problems below hydropower plants (i.e., low dissolved oxygen) and the effects on the fisheries downstream of the plants (i.e., minimum flow requirements).

40. Future research should also include investigations of various processes that are important in determining water quality. Work needs to be done in the area of biochemical kinetics. Better understanding of these reactions and their corresponding rate coefficients will improve modeling capabilities in these areas. Another area of interest is the development of techniques to define short-term circulation and turbulent mixing at time scales equivalent to the short time scales of biochemical reactions. Research is also needed in the area of transport of cohesive sediments (i.e., from storm runoff) and its relationship to the transport of pollutants (Steele et al. 1980).

41. Future model development should be limited to extending existing models to two and three dimensions, and refining these models to make them more computationally efficient, rather than developing new models (Shen 1979). The existing models should also be evaluated for suitability under various conditions. Procedures for model calibration and verification were discussed by Shen (1979), Steele et al. (1980), and Thomann and Barnwell (1979). Shen (1979) expressed the view that data needs had to be clearly defined for calibration and verification purposes. Steele et al. (1980) also expressed this concern, but with respect to the accuracy and precision of the data collected. Thomann and Barnwell (1979) noted that the graphical comparisons used now for verification purposes are qualitative analyses that require the modeler to make a judgment on how well the predicted data fit. They suggested that quantitative verification techniques (i.e. statistical analyses)



would be useful tools in future modeling studies. Steele et al. (1980) also brought out the fact that many models, once verified, are never updated to reflect condition changes in the receiving water body. Post-audit surveys should be considered for future modeling programs to check the accuracy of model predictions beyond verification results.

42. Data collection and management are another major area of concern. Steele et al. (1980) noted that present water quality monitoring networks are very much collection oriented, when the main concern should be the data and information use. Data collection should be a balanced program between long-term routine monitoring to establish trends and intensive data surveys during critical periods. Steele et al. (1980) added that, for modeling purposes, the data should be collected with a particular model in mind so that a concentrated effort can be made on those parameters to which the model is most sensitive.

## PART VI: RECOMMENDATIONS

43. Based on the results of the Riverine Water Quality Modeling Workshop and other related studies, recommendations for future research include:

- a. Collect a verification data set for a one-dimensional unsteady water quality model. Several one-dimensional riverine water quality models are being evaluated in FY 80 with respect to numerical algorithms, model formulations, efficiency and cost of application, ease of application, and model documentation. An unsteady flow model will be selected for verification. This model will be capable of addressing water quality problems downstream of hydro-power projects.
- b. Select and evaluate a two-dimensional, vertically integrated, hydrodynamic model. This model will be used in large rivers and shallow reservoirs that do not stratify. The model will be the base for a future, two-dimensional water quality model.
- c. Develop and verify a mathematical algorithm for the transport of fine suspended sediment. The algorithm when coupled with a hydrodynamic model should be able to predict the spatial and temporal distribution of fine sediments in natural systems. This type of model is required for prediction of contaminant transport.
- d. Collect a two-dimensional data set to be used in conjunction with b and c. The data set should include hydrodynamic data and suspended solids data in addition to water quality parameters.

## REFERENCES

- American Society of Civil Engineers, Task Committee on Environmental Effects of Hydraulic Structures of the Committee on Hydraulic Structures of the Hydraulics Division. 1978 (February). "Environmental Effects of Hydraulic Structures," Journal of the Hydraulics Division, ASCE, Vol 104, No. HY2, pp 203-221.
- American Society of Civil Engineers, Task Committee on Low-Flow Evaluation, Methods, and Needs of the Committee on Surface-Water Hydrology of the Hydraulics Division. 1980a (May). "Characteristics of Low Flows," Journal of the Hydraulics Division, ASCE, Vol 106, No. HY5, pp 717-731.
- American Society of Civil Engineers, Task Group on Hydraulic, Coastal, Ocean, Irrigation Engineering. 1980b (April). "Research Needs: Hydraulics, Coastal Engineering and Irrigation," Civil Engineering, pp 83-87.
- American Geophysical Union, Committee on Erosion and Sedimentation, Hydrology Section. 1977. "Research Needs in Erosion and Sedimentation," EOS, Vol 58, No. 12, pp 1076-1083.
- Planning and Management Consultants, Ltd. 1980. "A Report of the Shallow Draft Navigation Environmental Workshop," Draft Report, U. S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Miss.
- Seltz-Petrash, A. 1980. "The New Energy Boom: Small-Scale Hydropower," Civil Engineering, pp 66-71.
- Shen, H. W. 1979. "Review of Major Problems in Sedimentation 1975-1978," Review of Geophysics and Space Physics, Vol 17, No. 6, pp 1210-1220.
- Steele, T. D., and Stefan, H. G. 1979. "Water Quality," Review of Geophysics and Space Physics, Vol 17, No. 6, pp 1306-1334.
- Steel, T. D. et al. 1980. "Water Quality Research: An Overview of Areas of Concern," EOS, American Geophysical Union Water Quality Committee, Hydrology Section, Vol 61, No. 18, pp 433-437.
- Thomann, R. V., and Barnwell, T. D. 1980. "Workshop on Verification of Water Quality Models," EPA-600/9-80-016, Athens, Ga.

Table 1  
High-Priority Water Quality Problems  
and Responding Subgroups

<u>Problem</u>	<u>CE</u>	<u>Other Federal Agencies</u>	<u>Consultants</u>
Nonpoint pollutant production from watershed	X	X	X
Transport and dispersion of toxicants in streams	.	X	X
Saltwater intrusion due to lock and dam operations, channel modifications, and hydropower	X		X
Impact of sediment on nitrogen and phosphorus cycles	X	X	X
Sediment transport (especially fines) as related to toxicants and toxic chemistry (adsorption-desorption)	X	X	X
Water quality-sediment coupling in models		X	X
Water quality impacts of unsteady flow operation downstream of hydropower projects	X		X
Inability to determine minimum flow requirements for fish and wildlife	X	X	X
Means of prioritizing downstream water quality objectives	X		X
Impact of instream disposal of dredged material (sediment, dissolved oxygen, turbidity)	X		X

Table 2  
High-Priority Modeling Problems  
and Responding Subgroups

<u>Problem</u>	<u>CE</u>	<u>Other Federal Agencies</u>	<u>Consultants</u>
Transport and dispersion of toxicants in streams	X	X	X
Two-dimensional lateral riverine model development	X	X	X
Need for real time water quality model for reservoir/river system and user guide	X	X	X
Measurement of benthic demand	X	X	
Model evaluation procedures in- cluding postaudit and competing predictions	X	X	X
Mixing models - when is a one- dimensional representation invalid?	X		X
Lack of technology transfer in- cluding guidelines, guidance, and manuals	X	X	X
Inability to model sediment impacts on nitrogen and phosphorus cycles		X	X
Coupling transport model with sedi- ment (bed interaction) model	X	X	X
Coupling water quality and sediment models			X

APPENDIX A: WORKSHOP FORMS

Riverine Water Quality Modeling Workshop

9-10 April 1980

Problem Ranking Sheet No. 1

Name: \_\_\_\_\_

Subgroup: \_\_\_\_\_

Rank	Problem Number	Comments
1	_____	_____ _____ _____
2	_____	_____ _____ _____
3	_____	_____ _____ _____
4	_____	_____ _____ _____
5	_____	_____ _____ _____
6	_____	_____ _____ _____

Riverine Water Quality Modeling Workshop

9-10 April 1980

Combined Problem Ranking Sheet

Name: \_\_\_\_\_

Subgroup: \_\_\_\_\_

Rank	Problem Number	Comments
1	_____	_____ _____ _____
2	_____	_____ _____ _____
3	_____	_____ _____ _____
4	_____	_____ _____ _____
5	_____	_____ _____ _____
6	_____	_____ _____ _____

## APPENDIX B: PROBLEMS IDENTIFIED\*

### Reservoir Release Problems

Determination of water quality impacts of unsteady flow operation downstream of hydropower projects  
Impact of unsteady hydropower operation on bank stability and vegetation  
Inability to determine minimum flow requirements for fish and wildlife requirements  
Means of prioritizing downstream water quality objectives  
Quantification of water quality problems associated with pumped storage  
Significance of duration of low dissolved oxygen or temperature on fish and benthos  
Determination of effects of freshet reduction of anadromous fishes  
Quantification of supersaturation effects on fisheries

### Dredging Related Problems

Disposal of contaminated dredged material  
Where and how to place dredged material in a stream to minimize maintenance  
Impact of instream disposal of dredged material (sediment, dissolved oxygen, turbidity)  
Interpretation of elutriate data to predict impact on a stream  
Quantification procedures for water quality impacts of agitation dredging  
Lack of evaluation procedures for submerged versus nonsubmerged discharge from containment area  
Lack of prediction to determine whether dredged containment effluents meet mixing zone limitations

### General Water Quality Problems

Nonpoint pollutant production from watersheds  
Effect of increased agricultural activity on pesticide concentrations in waterways

---

\* These problems are not listed in order of priority.



Water quality impacts from storm sewer discharge  
Effects of acid polluted releases  
Quantification of turbidity versus suspended solids  
Algal problems and influences on diurnal dissolved oxygen  
Salinity problems in large river basins  
Temperature-related impacts within and downstream of reservoirs  
Effects of flood channelization on nutrient concentrations  
Best management of bendway cutoffs  
Water quality impact of sediment traps - modeling  
Aid in siting of intakes and outfalls  
Transport and dispersion of toxicants in streams  
Saltwater intrusion due to lock and dam operations, channel modifications,  
and hydropower  
Effects of reaeration through lock structure

#### Model Processes and Quantification

Prediction of atmospheric gas transfer on equilibration (total gas)  
Ability to define mixing in river systems including wind effects, vertical  
diffusivity, and effects of bends, curvature, and bottom irregularities  
on transport  
Effects of shading, bank storage, and evaporation on stream temperature  
models  
Cohesive fine-grained resuspension, deposition, consolidation  
Impact of sedimentation and resuspension on biota  
Impact of sediment on nitrogen and phosphorus cycle  
Sediment transport (especially fines) as related to toxicants and toxic  
chemistry (adsorption - desorption)  
Eutrophication - plankton, periphyton, macrophyte relationships  
Coupling transport model with sediment (bed interaction) model  
Viscosity-density coupling in sediment models  
Water quality-sediment coupling in models  
Groundwater-river water quality interactions

#### Instrumentation

Design of monitoring and data management systems for rational assessment

Standard methods for analysis of sediments  
Reaeration measurement techniques  
Measurement of benthic demand  
Real time inventory of conservative parameters in a reservoir

#### Models

Need for simplified water quality models and impact assessment  
Inability to easily model hydrodynamics of unsteady flow  
Two-dimensional lateral riverine model development  
Development of two-dimensional vertical ecosystem model for run-of-the-river impoundments  
Inability to model hydrodynamics and water quality of multiple run-of-the-river systems  
Multiple water quality problems in a given reach; urban runoff, reservoir releases  
Need for real time water quality model for reservoir/river system and user guide

#### Factors to be Considered in Model Application

Model evaluation procedures including postaudit and competing predictions  
Verification of one-dimensional models using good data bases  
Cost-effectiveness of modeling approach; level of analysis; trade-offs  
Mixing models, when is one-dimensional representation invalid?  
Matching water quality models with compatible flow models  
Automatic parameter estimation for models  
Efficient utilization of input-output  
Computation efficiency  
Code maintenance and responsibility

#### Technology Transfer

Lack of technology transfer including guidelines, guidance, and manuals

In accordance with letter from DAEN-RDC, DAEN-ASI dated 22 July 1977, Subject: Facsimile Catalog Cards for Laboratory Technical Publications, a facsimile catalog card in Library of Congress MARC format is reproduced below.

Johnson, Linda S

Workshop on riverine water quality modeling / by Linda S. Johnson, Dennis E. Ford, Donald L. Robey. (Environmental Laboratory. U.S. Army Engineer Waterways Experiment Station) ; prepared for Office, Chief of Engineers, U.S. Army, under EWQOS Task IB.3 -- Vicksburg, Miss. : U.S. Army Engineer Waterways Experiment Station; Springfield, Va. : available from NTIS, 1981.

22, [7] p. ; 27 cm. -- (Miscellaneous paper / U.S. Army Engineer Waterways Experiment Station ; E-81-1)

Cover title.

"February 1981."

References: p.22.

1. Environmental effects. 2. Mathematical models. 3. Rivers. 4. State-of-the-art studies. 5. Water quality. 6. Water quality models. I. Ford, Dennis E., joint author. II. Robey, Donald L., joint author. III. United States. Army. Corps of Engineers. Office of the Chief of Engineers. IV. United States. Army Engineer Waterways Experiment Station. Environmental Laboratory. III. Title. IV. Series:

Johnson, Linda S

Workshop on riverine water quality modeling...  
1981. (Card 2)

Miscellaneous paper (United States. Army Engineer Waterways Experiment Station) ; E-81-1.  
TA7.W34m no.E-81-1

DA  
FILM  
4